EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	33	(role with based with access with control).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 19:42
L2	299	(726/2).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 19:42
L3	916	(713/182).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 19:42
L4	1745	(705/8).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 19:42
L5	1465	(707/9).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 19:42
L7	2887	(709/229).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 19:42
L8	32	(creat$ with role with based with access with control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 20:21
L9	4	(creat$ with role with based with access with control).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 19:43
L10	2	(creat$ with role with based with access with control) and thresh$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 19:58

L11	309	model and role with based with access with control	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 20:22
L12	72	model and (role with based with access with control) and RBAC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 20:22
L13	25	model and (role with based with access with control) and RBAC and evaluate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 20:22
L15	7	creat$ with RBAC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 20:28
L16	467	RBAC or (role with based with access with control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 20:29
L17	116	RBAC or (role with based with access with control) and creat$ with RBAC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 20:29
L18	1	(creat$ with RBAC).AB.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 20:30
L19	2	(creat$ with RBAC).CLM.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 20:30
L21	7	(creat$ with RBAC)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 20:30
L22	3	(creat$ with RBAC) AND DATABASE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 20:33

EAST Search History

L23	7	(creating with role with access with control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 20:34
L24	2	(creating with rbac)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 20:35
L25	2	(creation with rbac)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 20:35
L26	2	(creation with role-based with access with control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 20:36
L27	467	RBAC OR (ROLE WITH BASED WITH ACCESS WITH CONTROL) OR (ROLE-BASED WITH ACCESS WITH CONTROL)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 20:36
L28	8	(creating or creat or creation) with (RBAC OR (ROLE WITH BASED WITH ACCESS WITH CONTROL) OR (ROLE-BASED WITH ACCESS WITH CONTROL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 20:37